


POLICY BRIEF

Open Access



Prioritisation of water pollutants: the EU Project SOLUTIONS proposes a methodological framework for the integration of mixture risk assessments into prioritisation procedures under the European Water Framework Directive

Michael Faust¹, Thomas Backhaus^{2*} , Rolf Altenburger³, Valeria Dulio⁴, Jos van Gils⁵, Antoni Ginebreda⁶, Andreas Kortenkamp⁷, John Munthe⁸, Leo Posthuma^{9,10}, Jaroslav Slobodnik¹¹, Knut Erik Tollefsen¹², Annemarie van Wezel¹³ and Werner Brack³

Abstract

Current prioritisation procedures under the EU Water Framework Directive (WFD) do not account for risks from chemical mixtures. SOLUTIONS proposes a multiple-lines-of-evidence approach to tackle the problem effectively. The approach merges all available evidence from co-exposure modelling, chemical monitoring, effect-based monitoring, and ecological monitoring. Full implementation of the proposed methodology requires changes in the legal text in adaptation to scientific progress.

Keywords: Water pollutants, Priority substances, Combined exposure, Mixture toxicity, Cumulative risks, European chemicals legislation, WFD revision

Challenge

As a strategy against chemical pollution, Article 16 of the EU Water Framework Directive (WFD) [1] requires the identification of EU-wide priority substances (PS) selected amongst those pollutants or groups of pollutants presenting significant risks to or via the aquatic environment. In addition, EU Member States are required to identify river-basin specific pollutants (RBSP) (WFD Article 4 and Annex V). Furthermore, beyond the fulfilment of EU-wide WFD requirements, national or regional rules and provisions may require local water managers to identify site-specific pollutants or groups of pollutants causing significant local risks. EU-wide priority substances, RBSPs, and site-specific pollutants are

subject to risk reduction efforts. The aim is to reduce pollution to safe concentration levels, currently formatted as so-called environmental quality standards (EQS) for separate chemicals.

Current regulatory procedures for prioritisation [2–4] and EQS setting [5] are focused on single substances. Individual pollutants are assessed as if they would occur in isolation. The fact that they are part of complex multi-constituent mixtures is largely ignored. However, a mixture of pollutants usually poses a higher risk than each individual constituent alone, as detailed in a separate policy brief on mixture risks [6]. As a consequence, compliance with EQS values for single pollutants (PS and RBSP) may not be sufficiently protective against toxic effects from combined exposure to multiple chemicals. This is not just a theoretical assumption but has also been demonstrated empirically in a study led by the European Commission's Joint Research Centre [7].

*Correspondence: thomas.backhaus@bioenv.gu.se

² University of Gothenburg, Carl Skottsbergs Gata 22B, 40530 Gothenburg, Sweden

Full list of author information is available at the end of the article

The problem is well recognized but approaches for tackling it effectively were missing. The EU project SOLUTIONS, therefore, took up the challenging task to develop a proposal for an advanced methodological framework which integrates mixture risk assessments into prioritisation procedures under the WFD. The prioritisation is important to make river basin management planning most efficient.

Recommendation

SOLUTIONS proposes a multiple lines-of-evidence (LOE) approach for the identification of priority mixtures presenting significant risks and drivers of mixture toxicity dominating the overall risks (Fig. 1). The suggested methodology is applicable at all scales (EU, river basin, and site-specific level).

The approach merges evidence from

- i. chemical monitoring, in combination with so-called component-based approaches for mixture risk assessment and driver identification,
- ii. integrated modelling of co-exposure and resulting mixture risks,
- iii. effect-based monitoring, in combination with so-called effect-directed analyses or related methods for the identification of causative (groups of) pollutants,
- iv. ecological monitoring, (field observations on so-called biological quality elements), in combination with possible indications on causative (groups of) pollutants.

The multiple LOE approach is detailed in a public SOLUTIONS deliverable [8]. Explanations of individual techniques are given in dedicated policy briefs on chemical screening [9] and associated component-based methods [10], modelling of co-exposures [11] and resulting mixture risks [6], effect-based methods [12], and ecological tools [13].

For developing the approach, SOLUTIONS thoroughly examined all available concepts and methods for both (i) the regulatory assessment of risks from chemical mixtures and (ii) the integration of such mixture risk assessment methods into prioritization procedures. No single method was found to provide a comprehensive solution for the complex problem of assessing risks from pollutant mixtures in the aquatic environment. Every option has some advantages but also suffers from specific limitations. As the best possible way forward, SOLUTIONS, therefore, proposes a framework which integrates all available LOEs on significant risks.

The advanced framework does not replace existing procedures for single substance prioritisation but integrates them with novel methodological elements into the suggested multiple LOE approach. Where one or more lines of evidence identify groups of pollutants presenting a significant risk, these should be included in ranking procedures for risk reduction measures. Criteria for mixture risk ranking may be essentially the same as those which have been established for single substance prioritization, including the frequency and the extent of threshold exceedances [14]. Where appropriate, large groups of dozens or hundreds of




Fig. 1 Graphical presentation of the proposed multiple lines-of-evidence approach for the identification of priority substances and priority mixtures under the EU Water Framework Directive

co-occurring pollutants may be reduced to few mixture components or even one single component which can be demonstrated to explain most of the overall risk, so-called drivers of mixture risks.

Wherever conclusive evidence on significant risks and resulting needs for risk reduction cannot be provided because all LOEs suffer from significant knowledge-gaps, mixture components of potential concern are not left unaccounted for but are prioritised for further research and testing. This principle is adopted from the NORMAN approach for the prioritisation of individual substances of emerging concern [15].

Implementation

Implementation of the proposed framework for effectively dealing with mixture risks under the WFD requires changes in the legal text. The following is needed:

- A broader approach to the prioritisation of pollutants for risk reduction measures, including all substances that make a significant contribution to an unacceptable overall risk, irrespective of whether they exceed individually acceptable levels or not.
- Comprehensive assessments of the chemical status, including all pollutants at a given site. Currently, EU wide priority substances and RBSPs are assessed in isolation. EU wide priority substances define the “chemical status”, while RBSPs are considered to affect the “ecological status”. In a real water sample, however, both types of pollutants occur together and they may be accompanied by site-specific pollutants. EU wide priority pollutants, RBSPs, and site-specific pollutants jointly contribute to the overall mixture risk. Therefore, they need to be assessed together.
- Uniform legal principles and harmonised technical rules for the assessment and prioritisation of pollutants and pollutant mixtures on different scales such as EU wide priority substances, RBSPs, and site-specific pollutants. For example, EQSs or PNECs or other reference values used by different Member States for RBSP identification currently differ, sometimes by orders of magnitude [16]. Such inconsistencies in single substance assessments render transparent, consistent, and meaningful mixture risk assessments impossible.
- A clear legal mandate for the establishment of an effect-based monitoring system, which may be performed in parallel to chemical monitoring or which may serve as a trigger for targeted chemical monitoring, as detailed in a European technical report [17] and specifically addressed in a separate Policy Brief [12].

These special needs for amendments are part of a broader array of recommendations for revising the WFD with the aim to improve the achievement of its protection and risk reduction goals, as detailed in Brack et al. [18].

Chemical risk assessment and risk-based prioritisation are data-hungry exercises. The generation of necessary input data, however, is not part of the WFD but governed by other pieces of EU chemicals legislation. In addition to amending the WFD, complementary measures must, therefore, be taken to ensure data availability. Currently, the limited availability of (eco)toxicity data that are considered reliable for EQS derivation already poses a serious problem for the assessment of many individual water pollutants. For conclusive mixture risk assessments, the lack of such single substance toxicity data is an even more severe bottleneck [6]. In addition, co-exposure modelling suffers from the limited availability of chemical use and emission data [11]. The WFD does not include mechanisms to close any of these data gaps. Strengthening risk assessments of both individual aquatic pollutants and pollutant mixtures, therefore, requires cross-cutting initiatives, including all pieces of EU chemicals legislation [19] and clearly assigning responsibilities for providing reliable (eco)toxicity data.

Abbreviations

EQS: environmental quality standards; LOE: lines-of-evidence; PS: priority substances (in the sense of the WFD); RBSP: river-basin specific pollutants; WFD: Water Framework Directive.

Acknowledgements

Special thanks are due to all SOLUTIONS advisory board members and many invited external experts who helped to shape the proposed framework by their valuable contributions to three SOLUTIONS prioritisation workshops held in 2014, 2017, and 2018.

Disclaimer

The findings and conclusions in this paper are those of the authors and do not necessarily represent the view of the governmental agencies or the research institutions they represent.

Authors' contributions

All authors contributed to a series of SOLUTIONS prioritisation workshops from which this Policy Brief emerged. MF drafted the manuscript. All co-authors helped to refine it and agreed on the final version. All authors read and approved the final manuscript.

Funding

The research leading to this Policy Brief was part of the SOLUTIONS project which received funding from the European Union Seventh Framework Programme (FP7-ENV-2013) under Grant Agreement No. 603437.

Availability of data and materials

Not applicable.

Ethics approval and consent to participate

Not applicable.

Consent for publication

Not applicable.

Competing interests

The authors declare that they have no competing interests.

Author details

¹ Faust & Backhaus Environmental Consulting, Fahrenheitstr. 1, 28359 Bremen, Germany. ² University of Gothenburg, Carl Skottsbergs Gata 22B, 40530 Gothenburg, Sweden. ³ Helmholtz Centre for Environmental Research UFZ, Permoserstr. 15, 04318 Leipzig, Germany. ⁴ Institut National de l'Environnement Industriel et des Risques (INERIS), 60550 Verneuil-en-Halatte, France. ⁵ Deltares, P.O. Box 177, 2600 MH Delft, The Netherlands. ⁶ Water and Soil Quality Research Group, Department of Environmental Chemistry, IDAEA-CSIC, Jordi Girona 18-26, 08034 Barcelona, Spain. ⁷ Institute of Environment, Health and Societies, Brunel University London, Kingston Lane, Uxbridge, Middlesex UB8 3 PH, UK. ⁸ IVL Swedish Environmental Research Institute, Box 530 21, 400 14 Gothenburg, Sweden. ⁹ National Institute for Public Health and Environment RIVM, Bilthoven, The Netherlands. ¹⁰ Department of Environmental Science, Radboud University, Nijmegen, The Netherlands. ¹¹ Environmental Institute, Okružna 784/42, 97241 Kos, Slovak Republic. ¹² Section of Ecotoxicology and Risk Assessment, Norwegian Institute for Water Research (NIVA), Gaustadalléen 21, 0349 Oslo, Norway. ¹³ Institute for Biodiversity and Ecosystem Dynamics, University of Amsterdam, Postbus 94240, 1090 GE Amsterdam, The Netherlands.

Received: 3 June 2019 Accepted: 8 August 2019

Published online: 30 September 2019

References

- Directive 2000/60/EC of the European Parliament and of the Council of 23 October 2000 establishing a framework for the Community action in the field of water policy. Off J Eur Union L 327:1–72; as last amended by Commission Directive 2014/101/EU of 30 October 2014
- James A et al. (2009) Implementation of requirements on priority substances within the context of the Water Framework Directive prioritisation process: Monitoring-based ranking. Contract No. 07010401/2008/508122/-ADA/D2, INERIS. https://circabc.europa.eu/sd/a/5269a7d3-87fc-4d54-9b79-7d84b791485e/Final-Monitoring-based_Prioritisation_September%202009.pdf
- Daginnus K et al. (2011) A model-based prioritisation exercise for the European Water Framework Directive. *Int J Environ Res Public Health* 2011(8):435–455
- Carvalho RN et al. (2016) Monitoring-based exercise: second review of the priority substances list under the Water Framework Directive. *JRC Sci Policy Rep (Draft)*. https://circabc.europa.eu/sd/a/7fe29322-946a-4ead-b3b9-e3b156d0c318/Monitoring-based%20Exercise%20Report_FINAL%20DRAFT_25nov2016.pdf
- EC (European Communities) (2011) Technical guidance for deriving environmental quality standards. Common implementation strategy for the Water Framework Directive (2000/60/EC), Guidance Document No. 27. <https://circabc.europa.eu/sd/a/0cc3581b-5f65-4b6f-91c6-433a1e947838/TGD-EQS%20CIS-WFD%2027%20EC%202011.pdf>
- Kortenkamp A et al. (2019) Mixture risks threaten water quality. The European collaborative project SOLUTIONS recommends changes to the WFD and better coordination across all pieces of European chemicals legislation to improve protection from exposure of the aquatic environment to multiple pollutants. *Environ Sci Eur*. <https://doi.org/10.1186/s12302-019-0245-6>
- Carvalho RN et al (2014) Mixtures of chemical pollutants at European legislation safety concentrations: how safe are they? *Toxicol Sci* 141:218–233
- Faust M et al. (2018) Advanced methodological framework for the identification and prioritisation of contaminants and contaminant mixtures in the aquatic environment. SOLUTIONS deliverable D2.1, revised version for public release on the SOLUTIONS website at https://www.solutions-project.eu/wp-content/uploads/2018/11/SOLUTIONS-D2_1-FINAL-REVISED.pdf
- Brack W et al. (2019) High-resolution mass spectrometry to complement monitoring and track emerging chemicals and pollution trends in European water resources. *Environ Sci Eur*. <https://doi.org/10.1186/s12302-019-0230-0>
- Posthuma L et al. (2019) Improved component-based methods for mixture risk assessment are key to characterize complex chemical pollution in surface waters. *Environ Sci Eur*. <https://doi.org/10.1186/s12302-019-0246-5>
- Van Gils J et al. (2019) The European Collaborative Project SOLUTIONS developed models to provide diagnostic and prognostic capacity and fill data gaps for chemicals of emerging concern. *Environ Sci Eur*. <https://doi.org/10.1186/s12302-019-0248-3>
- Brack W et al. (2019) Effect-based methods are key. The European Collaborative Project SOLUTIONS recommends integrating effect-based methods in order to diagnose and monitor water quality. *Environ Sci Eur* 31:10
- Backhaus T et al. Assessing the ecological impact of chemical pollution on aquatic ecosystems requires the systematic exploration and evaluation of four lines of evidence. *Environ Sci Eur* (in press)
- Von der Ohe PC et al. (2011) A new risk assessment approach for the prioritisation of 500 classical and emerging organic micro contaminants as potential river basin specific pollutants under the European Water Framework Directive. *Sci Total Environ* 409:2064–2077
- Dulio V and Von der Ohe PC (eds) (2013) NORMAN prioritisation framework for emerging substances. NORMAN Association Network of reference laboratories and related organisations for monitoring and bio-monitoring of emerging environmental substances. Working Group on Prioritisation of Emerging Substances NORMAN Association, Verneuil en Halatte. http://www.norman-network.net/sites/default/files/files/Publications/NORMAN_prioritisation_Manual_15%20April2013_final%20for%20website-f.pdf
- Vorkamp K, Sanderson H (2016) EQS variation study: European environmental quality standards (EQS) variability study. Analysis of the variability between national EQS values across Europe for selected Water Framework Directive River Basin-Specific Pollutants. Aarhus University, DCE—Danish Centre for Environment and Energy. Scientific Report from DCE—Danish Centre for Environment and Energy No. 198. <http://dce2.au.dk/pub/SRI198.pdf>
- Wernersson A-S et al. (2015) The European technical report on aquatic effect-based monitoring tools under the water framework directive. *Environ Sci Eur* 27:7
- Brack W et al. (2017) Towards the review of the European Union Water Framework Directive: recommendations for more efficient assessment and management of chemical contamination in European surface water resources. *Sci Total Environ* 576:720–737
- Kortenkamp A, Faust M (2018) Regulate to reduce chemical mixture risk. *Science* 361(6399):224–226

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.